

## Supplemental Figure S1: Asthma Control Test

**Asthma Control Test™**

1. In the past 4 weeks, how much of the time did your asthma keep you from getting as much done at work, school or at home?

All of the time	Most of the time	Some of the time	A little of the time	None of the time
0	0	0	0	0
1	2	3	4	5

2. During the past 4 weeks, how often have you had shortness of breath?

More than Once a day	Once a day	3 to 6 times a week	Once or twice a week	Not at all
0	0	0	0	0
1	2	3	4	5

3. During the past 4 weeks, how often did your asthma symptoms (wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

4 or more nights a week	2 to 3 nights a week	Once a week	Once or twice	Not at all
0	0	0	0	0
1	2	3	4	5

4. During the past 4 weeks, how often have you used your rescue inhaler or nebulizer medication (such as albuterol)?

3 or more times per day	1 or 2 times per day	2 or 3 times per week	Once a week or less	Not at all
0	0	0	0	0
1	2	3	4	5

5. How would you rate your asthma control during the past 4 weeks?

Not Controlled at All	Poorly Controlled	Somewhat Controlled	Well Controlled	Completely Controlled
0	0	0	0	0
1	2	3	4	5

Asthma Control Test™ © 2002 by QualityMetric Incorporated. All Rights Reserved.  
Asthma Control Test™ is a trademark of QualityMetric Incorporated.

The cut-off points for controlled asthma are (total)  $\geq 20$  points; not well-controlled asthma (total) 16-19 points, and uncontrolled asthma: (total)  $\leq 15$  points.

### Reference:

Schatz M, Sorkness CA, Li JT, et al. Asthma Control Test: reliability, validity, and responsiveness in patients not previously followed by asthma specialists. J Allergy Clin Immunol. 2006;117:549-56